



## Kuglasti ventili od mesinga, Ugaoni oblik, R1/2" do R1" Serija 350



Typ 350.203/204/205



Typ 350.303/304/305




Typ 350.403/404/405


|                      |                                                                                                                            |
|----------------------|----------------------------------------------------------------------------------------------------------------------------|
| Konstrukcija         | Kuglasti ventil sa plivajućom kuglom, Ugaoni oblik                                                                         |
| Aktiviranje          | okretanjem ručke za 90°                                                                                                    |
| Priključak           | 1/4"...1" prema ISO7/1R odnosno Rp posle ISO7/1                                                                            |
| Materijali           | Mesing CW617N niklovano, Kugla mesing CW617N tvrdo hromirana, Zaptivke PTFE/NBR, Okretna ručica aluminijum žuto presvučena |
| Područje primene     | gasoviti i tečni mediji, koji ne napadaju upotrebljene materijale                                                          |
| Temperatura medijuma | Tečnosti -15...+100°C, zapaljivi gasovi -15...+60°C                                                                        |
| Radni pritisak       | Radni pritisak prema tabeli i dijagramu pritisak-temperatura<br>zapaljivi gasovi maks. 5bar                                |
| Način pričvršćivanja | Montaža u kruti cevovodni sistem                                                                                           |
| Položaj ugradnje     | proizvoljno                                                                                                                |
| Odobrenje            | EN331 za zapaljive gasove                                                                                                  |



## Dimenzije




| Ød/ØD | DN [mm] | h  | h1 | l    | l1   | L  | M  | PN [bar] | Tip     |
|-------|---------|----|----|------|------|----|----|----------|---------|
| 1/2"  | 15      | 33 | 31 | 16,2 | 17,2 | 71 | 47 | 40       | 350.203 |
| 3/4"  | 20      | 38 | 35 | 16,2 | 18,5 | 84 | 56 | 40       | 350.204 |
| 1"    | 25      | 46 | 42 | 22,6 | 22,5 | 96 | 56 | 40       | 350.205 |




| Ød/ØD | DN [mm] | h  | h1 | l    | l1   | L  | M  | PN [bar] | Tip     |
|-------|---------|----|----|------|------|----|----|----------|---------|
| 1/2"  | 15      | 33 | 37 | 15   | 17,2 | 71 | 47 | 40       | 350.303 |
| 3/4"  | 20      | 38 | 43 | 16,1 | 18,5 | 84 | 56 | 40       | 350.304 |
| 1"    | 25      | 46 | 51 | 19   | 22,7 | 96 | 56 | 40       | 350.305 |





| ØD/Ød | DN [mm] | h  | h1 | I    | l1   | L  | M  | PN [bar] | Tip     |
|-------|---------|----|----|------|------|----|----|----------|---------|
| 1/2"  | 15      | 35 | 37 | 14,9 | 14,7 | 73 | 47 | 40       | 350.403 |
| 3/4"  | 20      | 40 | 43 | 16,1 | 16,2 | 86 | 56 | 40       | 350.404 |
| 1"    | 25      | 48 | 51 | 19   | 19   | 98 | 56 | 40       | 350.405 |

#### Dijagram pritisak-temperatura



Ilustracije neobavezujuće

Zadržavamo pravo na konstruktivne, dimenzione i materijalne izmene.

Armature / kuglasti ventili / kuglasti ventili - mesing / kuglasti ventil od mesinga serije 350

Verzija 7

137940 / Generisano 2026/38 SR

PROIZVEDENO U EVROPI

+381 11 2399521

balkan@stasto.eu

© STASTO Automatizacija d.o.o.

www.stasto.rs

Otvori seriju online

Strana 3 / 3

